

INDEX*

Abietum Fraseri	571, 573, 578	Bathynomus	406
Aceraceae	242	Betulaceae	236
Activities, nocturnal	662	Birds of Dallas County, Texas	936
Agnatha	852	in central Ohio	117
Agrostidetum hyemalis	494	of Winslow, Arkansas	154
Ahnfeldtia association	447	Brachiopoda	110, 114, 203
Alatampulla Bartlettii	600	Bryophyta	590
Ambystoma opacum	276	Bryozoa	687
Ammonite, a new genus from Upper		Bufo americanus americanus	280
Triassic of Oregon	401	fowleri	282
Ammophiletum breviligulatae	463	quercicus	285
Amphibia, records of, in southern		terrestris	286
states	275	Burrows of crabs	100, 101
Amphibians in the middle west	311	Cakiletum edentulae	462
Andropogonetum Hempsteadii	483	Caligidae	777
scoparii	481	Callianassa alpha	391
Anacardiaceae	242	beta	392
Angiospermae	594	burlesonensis	389, 390
Annelida	687	gamma	393
polychaetous, of Monterey Bay	776	wechesensis	394
Anseriformes	937	Cambarus, aberrant secondary sex	
Anthozoa	339	characters of	863
Aquifoliaceae	242	Campeloma rufum, uterine develop-	
Arcellites disciformis	600	ment of	144
Argulus melanostictus	776	shells of	149
trilineatus	777	twinning of	145
Armandia brevis	772	Cancerillidae	779
Arthropoda	699	Capitella capitata	772
Ascophyllum zone-association	452	Caprifoliaceae	245
Association	653	Caprimulgidae	941
beach	445	Carex lurida association	487
classification of	506	Caricetum strictae	493
culture	496	Carpolithus amisutensis	599
saltmarsh	454	patootensis	599
submersed	445	Cedar Valley	114
zone	451	Cedroxylon sp.	591, 592, 619
Aster puniceus Colbyi	426	Celastaceae	242
Athyris vittata	114	Cephalopoda	401
vittata ovata	115	Cercaria cystophora	131
Audouinia tentaculata	772	projecta	132
Aves	749		

* Names of new genera, species, etc., indicated by italics.

Charadriiformes	939	Cypress, bald	72
Chamaecyparetum thyoidis	480	buttresses	78, 79
Chamaedaphnetum calyculatae	480	knees	78, 81
Charcoal, mineral	94	Cyrtina plena	115
chemical composition of	94		
deposition of	97	Dalmanites	406
Chondracanthidae	786	Dasya-Grinnellia association	447
Chondracanthodes <i>Rickettsi</i>	787	Decodon pond	491
Chondracanthus gracilis <i>intermedia</i>	786	<i>Deltoidospora cascadenis</i>	618
Chone infundibuliformis	774	<i>Halli</i>	618
Choniostomatidae	791	Desmognathus fuscus auriculatus	276
Chordus—Ceramium rubrum ass'n.	446	quadramaculatus	277
<i>Chrysotheca discoensis</i>	590	Devonian, lower	813
Chrysosplenium americanum	486	middle	816
Ciconiiformes	937	upper	821
Clausidium californiense	785	upper, stratigraphy	857
<i>Clinophyllum chouteauense</i>	364, 365	Dichelesthiidae	779
Coal, Cretaceous and Tertiary	585	Distichlidetum spicatae	458
from Greenland	586	Doropygidae	779
from Montana	616	Dunes of Indiana, flora of	248
Coelenterata	673		
Coix lacrym-jobi	12, 14	Echinodermata	697
Columbiformes	940	Echiuroidea	682
Colymbiformes	936	Ecology of a California marine estuary	629
Commensalism	659	Index to	763
Coniferales	591	Eleutherodactylus ricordii	299
Copepods, parasitic	776	Elm, winged	418
Cottonwood	419	Enteromorpha association	451
Coraciiformes	941	Ericaceae	244
Corals, Paleozoic	337	Eriocaulonetum	494
phylogeny and distribution of	370	Euglena ponds	489
Cornaceae	243	Eudistyllia polymorpha	774
Crabs, burrowing activities of	99	Eunice longicirrata	771
<i>Crassiphyllum</i>	368	Eurythoe paupera	767
<i>declinis</i>	369		
Crayfishes, aberrant secondary sex		Falconiformes	938
characters of	863	Ferns, Tracy's of Missouri	626
Cretaceous coals	586, 616	Filicales	590
Crustacea	699	Flora of Columbia	83
Crustaceans, decapode	379	Florida, some mammals of	801
from Texas, Louisiana, and		Food supply	647
Mississippi	382	Forest, beech	555
Ctenophora	678	flood plain forest	224
Cuculiformes	940	formation of	469
Cuticle	596, 615	mesophytic	533, 537
Cyathaxonia tantilla	367	pine	535
Cyclops	129, 137	types in central Indiana	212
Cyperus dentatus	494	types of Northwestern Arkansas	417
Cyphaspis burmeisteri	104	upland forest	218

Formations, maritime	445	complanata	766
Fossil Peccaries	117	Hickory	418
Fossils incertae sedis	600	Homonyms and Nomenclators	962
Fossils,	589	<i>Homalophyllum calceolum</i>	353, 354
from Francis formation of Okla.	427	Hyla avivoca	290
nitrocellulose sections of	410	crucifer	294
Fox snake	932	femoralis	295
Frogs	299, 315	squirella	296
Fruticetum	493	versicolor versicolor	297
Fucus vesiculosus zone association	453	Indiana, central region	212
Fruticetum	493	floristic aspect of	214
Fucus vesiculosus, zone association	453	physiographic history	212
Fusain, nature and origin of	94	vegetative history of	214
chemical composition of	95	Juniperus virginiana beach ass'n	468
deposition of	97	Kentucky, Pine Mountain	517
Gastropoda	269	Laminarietum	445
Gastropod prosobranchiate, the an- atomy of	883	Leguminosae	242
Gastrophryne carolinensis	308	Lernaeidae	778
Geomys bursarius, abnormalities in growth	960	Lernaepidae	790
Glyceria alba	771	Lichomolgidae	780
robusta	770	Light	647
rugosa	770	Liliaceae	234
Galliformes	939	Limulus	406
Gopher, Pocket, abnormalities in growth	960	Lingula conklini	112
Gramineae, classification of	11	insolata	112
Grasslands	481, 497	missouriensis	111
Gratiola aurea—Hypericum virgini- cum association	942	pikeensis	111
Gruiformes	939	rowleyiana	111
Haliplus occidialis	129	tantilla	111
adult of	134	yatsui	112
cercaria of	131	Lioplax, studies on the life history of	913
host	137	Lizards	322
metacercaria of	134	Lobonotus brazosensis	384
redia of	130	natchitochensis	382
sporocyst of	129	Loinia montagui	773
Hamamelidaceae	237	Long Island, plant associations of	433
Halesydra torquata	767	Lumbrineris impatiens	772
Hapsiphyllum cassedayi	362	japonica index	771
Harpactocarcinus americanus	385	Lycopodiales	590
Hemicyclops callianassae	782	Maize plant	6, 17, 52
thysanotus	783	branching system	18
Hemipodia borealis	771	buds, latent	18
Hesperonoe adventor	766	chromosome number	24
		ear of	31, 52

habit	18	Oak, black	418
inflorescence of	25, 28	chestnut-white	523, 525, 545
place of origin	65	red	417
Mammals of Southern Florida	801	scrub	418
Maple, hard	419	Ohio, central	177
red	419	Onuphis elegans	771
soft	419	eremita	771
Maydeae, hybridization of 12, 16, 35		Ordovician period	810
Medicago sativa alba	424	Otarian halli	104
Mice, jumping	187	Ozark Phlox	414
food of	197	Oxygen	645
habits of	188		
hibernation of	191	Pandaridae	778
reproduction of	195	Pandarus bicolor	778
Migration	663	Parasitism	659
Micropodiformes	941	Passeriformes	942
Miocene formation at Alum Bluff,		Peccaries, fossil	117
Florida	107	Pectinaria auricoma	773
in New Jersey	208	Pelecaniformes	936
Myricaceae	235	Pelecypoda	268
Modiolicola gracilis	781	Phacops	407, 408
Mollusca	257, 719	Phlox pilosa ozarkana	414
Moss pond	490	pilosa virens	415
Mustela allegheniensis	120	Phoronida	686
cicognanii	123	Phragmitetum communis	469
noveboracensis	123	Phyllodermium nervosum	594
rixosa	120	perplexum	594
rixosa rixosa	125	Reinschii	594
Mylohyus nasutus	118	Physostegia virginiana candida	423
		Piceetum rubentis	586, 576
		Piciformes	941
Napaeozapus	198	Pike County, Missouri	110
breeding record of	196	Pilargis berkeleyi	768
Matrix sipedon sipedon	921	Pilot Black Snake	932
Nemertea	680	Pinaceae	233
Neozaphrentis tenella	358, 360	Pine Barren formation	476, 494
Nephthys assimilis	770	Pine Mountain, vegetation of	517
caeca ciliata	770	Pine-pitch, Yellow	528
ciliata	770	Pine, shortleaf	418
Nereis monterea	769	Pinus rigida	468
procera	768	virginiana	529
vexillosa	769	Pisces	746
virens plenidentata	768	Pista elongata	773
Nitrocellulose sections of fossils	410	Plankton	445
of rocks	410	Plants of Illinois and Wisconsin	422
Nomenclators, Homonyms and	962	Plant life	643
Notomastus giganteus	772	sociology, a study in	433
tenuis	773	Platyhelminthes	678
Nupharetum	494	Plantae incertae sedis	597

Plethodon glutinosus	276	Salicornietum ambiguae	457
Pleurocera canaliculatum undulatum	883	Salinity	646
Pollution	647	Saxifragaceae	236
Polygonum pond	490	Scirpus americanus	461
Polytoca barbata	12, 13	Sciurus aberti ferreus	201
Ponds, clear	490	Sclerachne punctata	12, 13
Decodon	491	Selaginellites mirabilis	618
drained	492	Sex characters, aberrant of cray-	
Euglena	489	fishes	864, 877, 878, 879, 881
extinct	489	normal of crayfishes	
moss	490	864, 877, 878, 879, 881
Polygonum	490	Shrubs, Cheboygan and Emmet	
undrained	489	Counties, Michigan	230
Porifera	673	Silurian period	811
Portunus vicksburgensis	387	Sipunculoidea	681
Potametum	492	Siren intermedia	277
Proteroseptata	339	Smoky Mountains, vegetation of	566
Protozoa	671	Snail, studies on life history of	913
Pseudobranchius striatus	279	Snakes	327
Pseudacris nigrita feriarum	289	Snake, Fox, eggs and young of	932
nigrita nigrita	288	Pilot Black, eggs and young of	932
ocularis	289	Soil, Bottom	639
Pseudomolgus nevadensis	780	Sparganietum	492
Prunus maritima	468	Spartinetum glabrae	455
Punctospirifer pulchra	203	patentis	459
Quercetum ilicifoliae	479	Spergularia-Plantago decipiens ass'n.	460
kalmietosum	472	Spermatites arcuatus	598
prini	470	elongatus	597
velutinae	473	ellipticus	599
Radicula-Callitriche association	486	nanus	598
Rana catesbeiana	299	orbicularis	598
clamitans	300	ovatus	598
heckscheri	302	pylophorus	599
sphenocephala	306	Spirulina densa	210
virgatipes	308	major	211
Ravines	540	subsalsa	211
Reptiles in the middle west	311	Sporonites montanensis	619
Rhamnaceae	243	Squirrel, Ground, of Western Oregon	949
Rhizoclonium zone-association	454	tuft-eared	201
Rhododendron catawbiense	541, 547	Sthenelais fusca	767
Rocks, nitrocellulose sections of	410	Stratigraphy of Upper Devonian	
Rosaceae	237	period	857
Rubiaceae	245	Strigiformes	940
Ruppietum maritimae	449	Styllaroides plumosa	772
Salamanders	312	Suedetum maritimae	461
Salicaceae	234	Sycamore	419
		Taxaceae	233
		Taxodium distichum	72

Temperature	645	Turritellidae, Miocene, reproduction of	107
Teosinte	18, 19, 57, 66	shells of young	108
Terebella robusta	773	Typhetum	492
Tertiary coals	585, 616		
Tetraseptata	339	Ulvetum latissimae	450
<i>Thecopteris major</i>	591		
<i>minor</i>	591	Vaccinietum corymbesi	480
Thelypteretum	488	macrocarpi	469
Tides	638	Variations in <i>Natrix sipedon sipedon</i>	921
Toads	280, 313	Vertebrata	746
Trebidae	778	Vertebrates, environment of the early	805
Trilobites	104	pre-Devonian	838
locomotive habits of	406	Vitaceae	243
<i>Triplophyllum centralis</i>	339, 341		
<i>cliffordanum</i>	344	Weasel	120
<i>hespere</i>	346	Winslow, Arkansas	154
<i>dalii</i>	342		
<i>illinoisense</i>	352	Zaphrentids, Mississippian	337, 339
<i>spinulosum</i> α	348	<i>Zapus hudsonius</i> , reproduction of	195
<i>spinulosum</i> β	350	<i>Zea</i> Mays, early findings of	5, 6, 7
<i>welleri</i>	347	fossils of	8
<i>Tripsacum dactyloides</i>	20, 21	hybrid origin	60
<i>Tritropidoceras packardii</i>	401, 402	inflorescence	29
Tropism	661	phylogeny of	1, 12, 55
Tunicata	746	<i>Zosteretum marinae</i>	448
Turtles	319		

07
08
92
450
480
469
921
746
805
838
243
120
154
339
195
7
8
60
29
55
448

- 450
480
469
921
746
805
838
243

120
154

339
195
7
8
60
29
55
448